| Ref<br># | Hits | Search Query                          | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---------------------------------------|---|---------------------|---------|------------------|
| S1       | 497  | 361/90.ccls.                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/12 16:08 |
| S2       | 233  | 361/91.6.ccls.                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/12 15:52 |
| S3       | 612  | 361/91.1.ccls.                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/14 11:09 |
| S4       | 810  | 361/92.ccls.                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/13 15:11 |
| S5       | 33   | S1 and (overvoltage undervoltage).ab. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/12 16:21 |
| S6       | 464  | S1 not S5                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/12 16:21 |
| S7       | 498  | 361/90.ccls.                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/13 11:57 |
| S8       | 233  | 361/91.6.ccls.                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/13 11:57 |
| S9       | 230  | S8 not S7                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/13 12:01 |
| S10      | 41   | S9 and (overvoltage undervoltage).ab. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/13 12:07 |
| S11      | 189  | S9 not S10                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/12/13 12:07 |

| S14 | 3     | (("6136464") or ("5585207")).PN.                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/13 14:28 |
|-----|-------|---|---|----|-----|------------------|
| S15 | 55    | crowbar same output same overvoltage                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:51 |
| S16 | 8     | S15 same base   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 17:33 |
| S17 | 5     | S15 same emitter  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 14:35 |
| S18 | 26    | S15 same (short ground)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 14:35 |
| S19 | 85000 | (zener diode) same (NPN transistor) same (PNP transistor) same base | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:58 |
| S20 | 810   | 361/92.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:59 |
| S21 | 210   | S19 and S20   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:13 |
| S22 | 30820 | S19 same (ground gnd)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:14 |
| S23 | 82    | S22 and S20   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:14 |
| S24 | 14346 | S22 same (undervoltage low below under)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/13 15:15 |

| S25  | 41    | S24 and S20   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 15:15 |
|------|-------|---|---|----|----|------------------|
| S26  | 41    | S23 not S25 not S18   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 15:51 |
| S27  | 85003 | (zener diode) same (NPN transistor bjt) same (PNP transistor) same base | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 15:58 |
| S28  | 3     | S27 not S19   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 15:58 |
| S29  | 407   | S20 and (zener diode)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 15:59 |
| S30  | 325   | S29 not S26 not S23 not S25 not S18                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 16:00 |
| S31  | 176   | S30 and zener   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 16:00 |
| \$32 | 322   | ozawa-kenichi.in. arai-naoki.in. hata-yoshitada.in.                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 17:11 |
| S33  | 9     | S32 and ((low adj voltage) undervoltage)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 17:17 |
| S34  | 1     | S32 and "01198214"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 17:17 |
| S35  | 4     | "776519".ap.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/13 17:33 |

|     |       |   |   | _  |    |                  |
|-----|-------|---|---|----|----|------------------|
| S36 | 30498 | (zener diode) same (NPN bjt transistor) same ground same base | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:18 |
| S37 | 614   | 361/91.1.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:09 |
| S38 | 43    | S36 and S37   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:09 |
| S39 | 66435 | (zener diode) same (NPN bjt transistor switch\$3) same ground | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:19 |
| S40 | 116   | S39 and S37   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:19 |
| S41 | 73    | S40 not S38   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:19 |
| S42 | 24    | S41 and (overvoltage (excess adj voltage))                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:23 |
| S43 | 49    | S41 not S42   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:27 |
| S44 | 43    | S43 and output  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:23 |
| S45 | 31    | S43 and (output with (ground grounded))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:24 |
| S47 | 18    | S43 not S45   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:30 |

| S48 | 1658 | (output near3 ground\$3) same zener   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:30 |
|-----|------|---|---|----|----|------------------|
| S49 | 43   | (output near3 ground\$3) same (zener near3 input)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:31 |
| S50 | 34   | (output near3 ground\$3) same (zener near3 input) same (overvoltage excess voltage)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:37 |
| S51 | 156  | S37 and zener   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:38 |
| S52 | 94   | S51 not S38 not S40   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:41 |
| S53 | 9    | S52 and (zener same ground\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:40 |
| S54 | 85   | S52 not S53   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:49 |
| S55 | 2580 | (microcontroll\$3 microprocess\$3 microcomput\$3) same (overvoltage\$1 (excess adj voltage\$1) (high adj voltage\$1)) same (protect\$3 detect\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:51 |
| S56 | 274  | S55 same ground\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:51 |
| S57 | . 81 | S56 same (diode\$1 zener)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:54 |
| S58 | 17   | S57 same base   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 11:52 |

| S59 | 64 | S57 not S58 | US-PGPUB; | OR | ON | 2005/12/14 11:55 |
|-----|----|-------------|-----------|----|----|------------------|
|     |    |             | USPAT;    |    |    | ]                |
|     |    |             | USOCR;    |    |    |                  |
|     |    |             | EPO; JPO; |    |    |                  |
|     |    |             | DERWENT;  |    |    |                  |
|     |    |             | IBM_TDB   |    |    |                  |